BIXOLON

Installation Guide

OPOS Driver

Ver. 3.25

http://www.bixolon.com

Table of Contents

Copyright

Caution

Some semiconductor devices are easily damaged by static electricity. You should turn the printer "OFF", before you connect or remove the cables on the rear side, in order to guard the printer against the static electricity. If the printer is damaged by the static electricity, you should turn the printer "OFF".

Introduction

This is a manual for BIXOLON OPOS DRIVER program, BIXOLON OPOS DRIVER setup, and making application using BIXOLON OPOS DRIVER.

Before use BIXOLON devices, set and configure devices by using BIXOLON OPOS driver Setup Utility.

Throughout this manual, "OLE for Retail POS" is called "OPOS".
Throughout this manual, "Unified for Retail POS" is called "UPOS".

[Further Source]
OLE for Retail POS committee available from http://monroecs.com/opos.htm
Driver Update from http://www.bixolon.com

It is advisable to read the contents of this manual carefully before using the printer for the first time.

1. Environment

1-1 Features
• Through these standardized API functions, you can develop POS systems easily.

1-2 Operation Environment

Operating System	Windows Server 2008 (32/64bit)
	Windows Server 2008 R2
	Windows Server 2012
	Windows Server 2012 R2
	Windows Server 2016
	Windows Server 2019
	Windows 7 (32/64bit)
	Windows 8 (32/64bit)
	Windows 8.1 (32/64bit)
	Windows 10 (32/64bit)
Supported Languages	Microsoft Visual Basic Version 6.0
	Microsoft Visual C++ Version 6.0
	Microsoft .NET(C#, VB)

1-3 Accessible Devices

1) POS Printer

Model	S	P	U	E	B	W
STP-103/STP-131	O	O	X	X	X	X
STP-103II/STP-103III	O	O	O	X	X	X
SRP-270/SRP-275 SRP-275II/SRP-275III SRP-280	O	O	O	O	X	X
SRP-330/SRP-340 SRP-350/SRP-350N SRP-350plus/SRP-352plus SRP-330II/SRP-332II SRP-330III/SRP-332III SRP-340II/SRP-342II SRP-350II/SRP-350IIK SRP-350plusII/SRP-352plusII SRP-350III/SRP-352III SRP-350V/SRP-352V SRP-370/SRP-372 SRP-500	O	O	O	O	X	X
SRP-350plusF	O	X	X	X	X	X
SRP-350IIOBE	X	X	O	O	O	X
SRP-F310/SRP-F312	O	O	O	O	X	O
SRP-350plusIII/SRP-352plusIII SRP-350plusV/SRP-352plusV SRP-F310II/SRP-F312II SRP-F313II/SRP-S300 SRP-380II/SRP-382II	O	O	O	O	O	O
SRP-380/SRP-382/SRP-383 SRP-Q200/SRP-S320	O	X	O	O	O	O
SRP-Q300/SRP-Q302	X	X	O	O	O	O
SRP-QE300/SRP-QE302	X	X	O	O	X	X
SRP-E300/SRP-E302 SRP-B300 SRP-S200	O	X	O	O	X	X
BK3-3	O	X	O	O	X	X
BK3-2/BK5-3	O	X	O	X	X	X
SRP-S3000	O	X	O	O	X	O
SPP-200	O	X	O	X	X	X
SPP-R200	O	X	O	X	O	X
SPP-R200II/SPP-R200III SPP-R300/SPP-R310 SPP-R400/SPP-R410	O	X	O	X	O	O
SPP-R210/SPP-R220	X	X	O	X	O	O
SPP-C200/SPP-C300	X	X	O	X	O	X
G30	O	O	O	O	O	O

* S: Serial, P: Parallel, U: USB, E: Ethernet, B: Bluetooth, W: Wireless LAN

2) Label Printer

Model	S	P	U	E	B	W
SLP-TX400/SLP-TX403 SLP-TX220/SLP-TX223 SLP-TX420/SLP-TX423 SLP-DX220/SLP-DX223 SLP-DX420/SLP-DX423 SLP-DL410/SLP-DL413	O	O	O	O	O	O
SRP-770III	O	O	O	O	O	O
SRP-E770III	O	X	O	O	X	X
XD3-40d/XD3-40t	O	X	O	O	X	X
XT5-40/XT5-43/XT5-46 XT3-40/XT3-43	O	O	O	O	O	O
SPP-L3000	X	X	O	X	O	O
SPP-L310 SPP-L410	O	X	O	X	O	O
XD5-40d/XD5-43d XD5-40t/XD5-43t XL5-40CT/XL5-43CT XM7-40/XM7-20	O	X	O	O	O	O
XM7-30	O	X	O	X	O	O
SRP-S3000_LABEL	O	X	O	O	X	O

* S: Serial, P: Parallel, U: USB, E: Ethernet, B: Bluetooth, W: Wireless LAN

> ❗ A cradle is required to use the Ethernet interface on the XM7-40/20. (optional)

3) Line Display

Model	Serial	PARALLEL	USB
BCD-1000	O	X	X
BCD-1100	X	X	O
BCD-2000	O	X	O
BCD-3000	X	X	O

> ❗ BCD-1100/2000/3000 are supported by USB interface, but it's connected via Virtual COM port.

4) MSR

| Model	S	P	U	E	B	W
SPP-R200	O	X	O	X	O	X
SPP-R200II/SPP-R200III SPP-R300/SPP-R310 SPP-R400	O	X	O	X	O	O
SPP-R210/SPP-R220	X	X	O	X	O	O
BM10E	X	X	O	X	X	X

* S: Serial, P: Parallel, U: USB, E: Ethernet, B: Bluetooth, W: Wireless LAN

# 2. Installation and Uninstallation

The BIXOLON OPOS driver includes Control Object, Service Object, OPOS Setup Utility and sample programs.

2-1 Installation

1) Run the OPOS Driver installation file.

2) "Welcome" dialog is displayed.

3) Agree on the software license. At the moment of installation, the user consents to the license policy of BIXOLON.

4) Please select a type of installation. The default installation location is as follows.

* 32bit OS: "C:\Program Files\OPOS\BIXOLON OPOS DRIVER\"
* 64bit OS: "C:\Program Files (x86)\OPOS\BIXOLON OPOS DRIVER\"

5) The Setup confirmation box will be displayed.

6) Installation of the OPOS driver will be proceeded.

2-2 Uninstallation

• To remove or modify BIXOLON OPOS Driver, Select "BIXOLON OPOS Driver" from
"Add / Remove Programs" in Control Panel and remove or modify.

3. Precautions

1) The BIXOLON OPOS software package installed supports the devices provided by BIXOLON. Other devices do not guarantee normal operation.

2) If installed with other OPOS drivers, it may cause abnormal operation.

Revision history

Rev.	Date	Description
3.00	2017-03-11	New
3.01	2017-09-21	Add new model
3.02	2017-12-04	Add new model
3.03	2018-03-09	Add Label Printer etc.
3.04	2018-05-21	Change Label Printer model name
3.05	2018-08-30	Add new model
3.06	2018-10-18	Add new model
3.07	2019-01-08	Add model SPP-L310, SPP-L410
3.08	2019-03-05	Add model SRP-Q200, XD3-40d
3.09	2019-06-21	Add model XD3-40t, XD5-40d, XD5-43d, XL5-40, XL5-43
3.10	2019-10-24	Change Label Printer model name
3.11	2019-11-21	Add model XD5-40t, XD5-43t, XM7-40
3.12	2019-12-03	Add model BK3-2
3.13	2020-03-10	Add model XM7-20
3.14	2020-09-16	1. Updated supported OS 2. Add model SRP-B300, SRP-S320, SRP-S3000
3.15	2021-02-26	Change the font in the manual Add Model SRP-S200
3.16	2021-08-26	Add Model XT3-40, XT3-43
3.17	2021-10-07	Add Model SPP-C200
3.18	2021-12-06	Add Model SPP-C300
3.19	2022-04-26	Add Model XM7-30
3.20	2022-05-24	Add Model SRP-330III, SRP-332III
3.21	2022-06-02	Add Model SRP-350V, SRP-352V, SRP-350plusV, SRP-352plusV
3.22	2022-07-21	Add Model SRP-380II, SRP-382II
3.23	2023-02-14	Add Model BK5-3
3.24	2023-03-08	Add Model SPP-200
3.25	2023-03-22	Add Model G30